Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

In Conjunction with Hilco Global APAC

Tel 0061 412 389090 email: ascharer@hilcoglobal.com

TMP

The TMP Pulp Mill had a capacity in the order of 1000 ADT pulp/day.

Four chip bins



Screw presses





Two Kvaerner stainless steel screw presses: model SP100SL with motor/gearbox drives.

Disc Filters







Two Dorr Oliver disc filters, model 15 ft x 11.5 mtrs long, serial numbers 11376-1 and 11376-2. Year 1996.GL&V conversion in 1996.

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

Pressure screens

Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197218
Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197216
Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197219
Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197217
Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197220
Andritz Sprout Bauer	model:	PSV-2900-year 1996 Hooper PSV 11	number	197212







Dorr Oliver Canada Dorcan DSM bow screen number 11451-8 stainless steel

Dorr Oliver Canada Dorcan DSM bow screen number stainless steel

Sludge presses

Two Andritz stainless sludge presses outside of TMP plant.

Motors 11Kv Toshiba

740060	P1 Line 1 primary	refiner no 3368	serial number 9613009
740160	P2 Line 2 primary	refiner no 9975	serial number 9613007
740080	S1 Line 1 Secondary	refiner no 9972	serial number 9613004
740180	S2 Line 2 Secondary	refiner no 9976	serial number 9613008

740285	R1	Rejects refiner 1	9974	serial number 9623006
740305	R2	Rejects refiner 2	9973	serial number 9613005
Spare			9971	serial number 9613003

Spare stator

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email jw@wilkiemaryfield.co.uk
www.johnwilkiepms.co.uk

Motor details

Make Toshiba, year 1996, type TABL, form RCCN, specification IEC-34-1 (1994). Cooling temp 40 Deg C. Continues rating, Rated power 15 MW, Rated current 850A, Frequency 50 Hz, power factor 0.95, Phase 3 AC, Sator armature voltage 11 Kv. Stator winding insulation class F, Connection Star, RPM 1500, Rotor field 115v, rotor field currency 552A, Rotor winding class F, AC rotor field excitation full load 9.9A, AC rotor field excitation no load 3.0 A. 4 Poles.

Refiners



Sunds Defibrator model RGP-CD/70 number 4831-year 1988 Sunds Defibrator model RGP-CD/70 number 4832-year 1988 Sunds Defibrator model RGP-CD/70 number 4833-year 1988 Sunds Defibrator model RGP-CD/70 number 4835-year 1988 Sunds Defibrator model RGP-CD/70 number 4836-year 1988 Sunds Defibrator model RGP-CD/70 number 4837-year 1988

Motors 11Kv Toshiba

740060	P1 Line 1 prima	ary	refiner	no	3368	serial number	9613009
740160	P2 Line 2 prima	ary	refiner	no	9975	serial number	9613007
740080	S1 Line 1 Seco	ndary	refiner	no	9972	serial number	9613004
740180	S2 Line 2 Seco	ndary	refiner	no	9976	serial number	9613008
740285	R1	Rejec	ts refine	r 1	9974	serial number	9623006
740305	R2	Reject	ts refine	r 2	9973	serial number	9613005
Spare					9971	serial number	9613003

Spare stator

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

Pressure screens



Three Andritz Sprout Bauer pressure screens model PSV 2900, year 1996.

Number 197216	model HOOPER	model PSV 2900
Number 197218	model HOOPER	model PSV 2900
Number 197219	model HOOPER	model PSV 2900
Number 197217	model HOOPER	model PSV 2900
Number 197220	model HOOPER	model PSV 2900
Number 197212	model HOOPER	model PSV 2900

Screens

Ahlstrom	model	Micra- Screen T	number 9658021/1-year 1996
Ahlstrom	model	Micra- Screen T	number 9658021/2-year 1996
Ahlstrom	model	Micra- Screen T	number 9658021/3-year 1996
Ahlstrom	model	Micra- Screen T	number 9658021/4-year 1996

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

RMP Plant



RMP plant: in the order of 300 ADT pulp/day.

Refiners







Sprout Bauer Sprout Waldron Sprout Waldron Sprout Bauer

Sprout Bauer model 21535A

Sprout Bauer

SERIAL NUMBER d3375A900

Disc filters



Two-disc filter stainless steel, maker Beloit Polydisc series 5000 each with 18 discs. Years of manufacture 1993.

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

Screw press



Screw press manufacture FKC model SHX-1350 serial number M-2344-year 2006

Pressure screens



Three Andritz Sprout Bauer pressure screens model PSV-3900, year 1996.

Number 197215 model HOOPER PSV 11 Number 197213 model HOOPER PSV 11 Number 197214 model HOOPER PSV 11



Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email jw@wilkiemaryfield.co.uk
www.johnwilkiepms.co.uk

PAPER MACHINE APPROACH FLOW

Stock Preparation

Three stage screening system.

Screens Lamort

Primary SPH17 with holes 2.38 mm

Secondary SPN8 with slots 0.40mm with 3.6 mm spacing Tertiary SPN4 with slots 0.40mm with 4.0mm spacing

LD Cleaners

Four stages, make: Richard Berg 1 +2 +3 and reject.

Model RB6 1 + 2 +3 Celleco 4th and reject.

Deculator

Clark and Vicario

Refiners

Post refining.

Kraft pulp refiner Jylhavaara model DD900 with 1070 Hp (800 Kw) motor. Mechanical pulp Jylhavaara model DD100E1 with 1670 Hp (1250 Kw) motor.

Available documentation:

Paper Machine 3 Elevation Drawing

NST PM Front Side Elevation-Model

NST Machines Tasman Paper PM Historic data 2001 (which has more details on the machine)

Voith duoformer data

PM3 Winder data sheet dynamic model


PM3 winder drive list

PM3 winder HMI screens

PM3 Winder upgrade parts list

Photos of PM3

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk



Paper Mill DD













Voith PM3 Design Data

Dryer Section	Newsprint 45 g/m ²
Design width	7400 mm
Operating Speed Max	1150 m/min
Design Speed	1350 m/min
Balancing Speed	1350 m/min
Paper width trimmed	6940 mm
Wire tension single	3 kN/m

Paper machine right hand drive from the flowbox. Basement design. DCS Bailey manufacture.

Wire section: Cantilevered

Wire speed 1050 m/min Couch trim width 7010mm

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF

Tel 0044 (0)1764 685267 email jw@wilkiemaryfield.co.uk

www.johnwilkiepms.co.uk

Valmet flowbox model Sym Flow

Year 1985

Slice control ABB

Slice actuator type Linear stepper motor, smart weight with 58 slice actuators

Valmet top Former model Sym former R

Press section

Configuration: Twin plus Third Manufacture Beloit Walmsley

Type: non cantilevered

Year: 1975

Rolls and covers: Suction pick up stainless shell

1st press suction with poly cover 2nd press Beloit CC roll stainless G roll 3rd press Beloit CC stainless G roll 2 + Granite rolls Twinver and 3rd press

Devron Measurex Steam box on 1st press with 48 actuators

Dryer sections

Manufacture Beloit Walmsley, year 1975. Machine hood Beloit manufacture.

Dryers with enclosed hood, A/F bearings, central lubrication system. Closed gear drive.

Steam pressure to the 5 section of dryers was 50psi, rated 125 psi, with a 150psi

Thermocompressor.

Configuration of dryers:

1st section 7 dryers unorun

2nd section 6 dryers unorun

3rd section 14 dryers conventional

4th section dryers conventional

Breaker stack gap 6 meters. No rolls or dryers

5th section 8 dryers conventional

All dryers bolted cylinder ends

CD control VIB

VIB water spray with 79 actuators located at the breaker stack near 42 dryers.

Blowbox manufacture Valmet. Total blowboxes 8 and locations 1st and second unorun.

Basement

Dry end basement pulper.

Scanner

QCS Scanner was ABB 1190 (from memory) and controlled colour, calliper (calcoil), moisture (steam box) & basis weight (headbox slice). DCS was Bailey.

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF Tel 0044 (0)1764 685267 email jw@wilkiemaryfield.co.uk

www.johnwilkiepms.co.uk

All felts and wires with auto guide systems.

Calender

Online conventional hard calender. Beloit manufacture, Queen driven roll, Number of rolls: 5 year 1975, profile control Calcoil 4000 on three rolls. Transphase steam showers on top roll 5th and 4th roll.

Horizontal reel up

Beloit manufacture, paper trim width 6850 mm, automatic reel transfer. Tail transfer system.

2013. PLC Allen Bradley. PM computer ABB 1190 SMART PLATFORM AVANT. Year 1993

Scanner

QCS Scanner: ABB 1190 Avant, controlled colour, calliper (calcoil), moisture (steam box) & basis weight (headbox slice).

DCS: Bailey model Network 90, two operation stations, at wet end (again from memory), not sure of model.



Roll splitter

Voith roll splitter. 50" roll diameter x 84" width, hydraulic operation, year 1993.

Rewinder







Jagenberg Vari Float, model 90, year 1996, 7000mm roll width, 1500 mm rewind diameter, Allen Bradley drive, 2600 m/min speed, shaftless rewind, 13 auto knife setting, auto core loading, twin motor drive. Upgrade 2013. Fixed unwind for reel shells from the paper machine.

Maryfield, Manse Lane, St Fillans, Perthshire, UK. PH6 2NF
Tel 0044 (0)1764 685267 email <u>jw@wilkiemaryfield.co.uk</u>
www.johnwilkiepms.co.uk

Machine drive





Harland Simons analogue drive, year 1975, sectional electric drive.

Paper roll wrap system





Lamb -Grays Harbour, capacity up to 2500 reels/24 hrs., paper wrap. Trancel roll handing system year 1996.

NB: Various spare rolls are available from the paper machine. List available on request.

THIS INFORMATION IS THE TITLE OF JOHN WILKIE PAPERMILL SERVICES LTD AND SHOULD NOT BE COPIED OR FORWARDED TO A THIRD PARTY WITHOUT CONSENT.

FOR YOUR GENERAL INFORMATION WE HAVE TO INTIMATE THE FOLLOWING TO YOU:

This schedule has been prepared solely for the guidance of prospective purchasers and does not constitute (and at no time shall be deemed to constitute) an offer or contract or any part of an offer or contract. Additionally, no warranty is given to the accuracy of any measurements, specifications or other details whatsoever given within this schedule.

Whilst every reasonable effort has been made to verify any statement, description, or comment made within this schedule, for the avoidance of doubt it is emphasised that the purchaser must make their own enquiries and satisfy themselves.